



CERTIFICATE OF ACCREDITATION

ANSI-ASQ National Accreditation Board/AClass
500 Montgomery Street, Suite 625, Alexandria, VA 22314, 877-344-3044

This is to certify that

C.P.A. Ltd
7-b-4 Han Asparuh Str. 6000
Stara Zagora Bulgaria

has been assessed by AClass
and meets the requirements of international standard

ISO Guide 34:2009

while demonstrating technical competence in the field(s) of

Reference Material Producer

Refer to the accompanying Scope(s) of Accreditation for information regarding the
types of materials to which this accreditation applies.

AR-1835

Certificate Number

AClass Approval



Certificate Valid 01/17/2014-01/17/2016
Version No. 001 Issued: 01/17/2014



SCOPE OF ACCREDITATION TO ISO GUIDE 34:2009

C.P.A. Ltd

7-b-4 Han Asparuh Str. 6000 Stara Zagora Bulgaria
Krassimira Taralova Phone: 359-42-607716

REFERENCE MATERIAL PRODUCER

Valid to: January 17, 2016

Certificate Number: AR - 1835

Category and Sub-Category of Reference Material	Class or Type of Reference Materials Produced	Methods or Techniques Utilized in the RMP Laboratory if appropriate
Certified Reference Material (CRM)	Single and multi-component organic & inorganic materials in solution:	Instrumental & Classical Analytical Chemistry
Chemical ILAC Categories : A2.6 A3.1 A9.1 A9.3	• Metals • Anions • Cations • pH Standards • Conductivity Standards • Volumetric Solutions • Alcohols • Carbonyls and derivatives • Carbamates • Conazoles • Heterocyclic compounds • Hydrocarbons • Nitrogen containing organic compounds • Organic acids • Organochlorine pesticides • Phenols • Phenoxyacetates • Phosphorus containing organic compounds • Phthalates • Polyaromatic Hydrocarbons (PAHs) • Polybrominated/ Polychlorinated biphenyls (PBBs and PCBs) • Pyrethroids • Synthetic oils • Triazines • Volatile organic compounds	• ICP OES • Ion Chromatography • pH Meter • Conductivity Meter • Titrimetry • Gravimetry • HPLC • GC/MS





ANSI-ASQ National Accreditation Board/AClass

Notes:

1. Please contact the RMP organization for more information on CRM uncertainty values, Ucrm values, and other specific lot values. Some of this information may also be available on the RMPs website.
2. This scope is part of and must be included with the Certificate of Accreditation No. AR - 1835

A handwritten signature in black ink, appearing to read "Karl Greenaway".

Vice President

